

**Certificate of Analysis CSB10 - Invitation \_\_\_\_\_**

PACK DATE \_\_\_\_\_ EXPORT CONTRACT VEPE \_\_\_\_\_ MILLPOINT \_\_\_\_\_  
 NOTICE TO DELIVER VEPE \_\_\_\_\_ COMMODITY \_\_\_\_\_  
 LOT NUMBER \_\_\_\_\_ PACK SIZE \_\_\_\_\_  
 CAR/TRUCK \_\_\_\_\_  
 QUANTITY: \_\_\_\_\_ MT \_\_\_\_\_ LBS \_\_\_\_\_ BAGS \_\_\_\_\_

Date Samples Taken	Time Range of Samples Taken	Protein (Nx6.25) 16.7% <i>Min</i>	Moisture 10.0% <i>Max</i>	Fat 6.0 % <i>Min</i>	Crude Fiber 2.0% <i>Max</i>	Sieve Test NO. 6 99% <i>Min</i>	Sieve Test NO. 30 92% <i>Max</i>	Sieve Test NO. 60 57% <i>Max</i>	Bostwick Uncooked 20.0 <i>Max</i>	Bostwick Cooked <sup>1</sup> 11.75% <i>Gruel</i> 9.0 <i>Min</i> 21.0 <i>Max</i>	Iron (mg/100g) 14.7 <i>Min</i> 30 <i>Max</i>	Vitamin A (IU/ lb) 8400 <i>Min</i> 16,000 <i>Max</i>	Total <sup>2</sup> Bacteria Count per gram 50,000 <i>Max</i>	Salmonella, <sup>2</sup> E. coli, Coagulase <i>Negative</i>	Positive <sup>2</sup> staphylococci <i>Negative</i>	Dispersib- ility <sup>3</sup>	Aflatoxin Qualitative 20 <i>pps Max</i>	Appearance and Odor

<sup>1</sup> Reported to nearest half of a Bostwick unit.

<sup>2</sup> Results for total bacteria count, salmonella, e. coli, coagulase, and positive staphylococci shall be marked "pass" or "fail."

<sup>3</sup> Dispersibility will be essentially free from lumping or balling when mixed with water.

COMMENTS \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

I certify that this COA is true and that the samples taken and referenced herein came from the lot number shown on this form.  
 This certification is executed with the full knowledge of the provisions of 18 USC 1001 and 31 USC 3729.

SIGNATURE \_\_\_\_\_ DATE \_\_\_\_\_  
 TITLE \_\_\_\_\_  
 TELEPHONE \_\_\_\_\_  
 FAX \_\_\_\_\_

DISCOUNTS (per 100 Lbs.)					
PROTEIN	16.6 - 16.4	10 cents	SIEVE TEST NO. 60	58 or 59	10 cents
	16.3 - 16.1	20 cents		60 - 61	20 cents
	16.0 or 15.9	35 cents		20.5 or 21.0	10 cents
MOISTURE	10.1 or 10.2	10 cents	BOSTWICK UNCOOKED	21.5 or 22.0	20 cents
	10.3 or 10.4	20 cents		22.5 or 23.0	35 cents
	10.5	35 cents		8.5 - 8.0 or	10 cents
FAT	5.9 or 5.8	10 cents	DEFICIENT BOSTWICK COOKED	7.5 - 7.0 or	20 cents
	5.7 or 5.6	20 cents		6.5 - 6.0 or	35 cents
	5.5	35 cents		21.5 -22.0	10 cents
CRUDE FIBER	2.1 - 2.2	10 cents	EXCESS BOSTWICK COOKED	22.5 -23.0	20 cents
	2.3 - 2.4	20 cents		23.5 -24.0	35 cents
	2.5	35 cents		30.1 - 31.5	10 cents
SIEVE TEST NO. 6	98 or 97	10 cents	IRON	31.6 - 33.1	20 cents
	96 or 95	20 cents		33.2 - 35.0	35 cents
	93 or 94	10 cents			
SIEVE TEST NO. 30	95 or 96	20 cents			

INSTRUCTIONS - FILL IN ALL BLANKS.

IF ANALYSIS RESULTS IN A DISCOUNT, RECORD VALUE AND NOTATE IT WITH AN "\*\*\*".

SUBMIT CERTIFICATE OF ANALYSIS TO:

KANSAS CITY COMMODITY OFFICE  
 EXPORT OPERATIONS DIVISION, PCB  
 6501 BEACON DRIVE  
 MAIL STOP 8738  
 KANSAS CITY, MO 64133-4676

TELEPHONE: 816-823-1152